PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: A01M 1/04, 1/14

(11) International Publication Number:

WO 97/01272

A1

(43) International Publication Date:

16 January 1997 (16.01.97)

(21) International Application Number:

PCT/SE96/00783

(22) International Filing Date:

18 June 1996 (18.06.96)

Published

In English translation (filed in Swedish).

With international search report.

(81) Designated States: JP, US, European patent (AT, BE, CH, DE,

DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

(30) Priority Data:

9502308-1

27 June 1995 (27.06.95)

SE

(71) Applicant (for all designated States except US): SILVANDER-SSON MILJÖ AB [SE/SE]; P.O. Box 56, S-310 20 Knäred


(72) Inventor; and

- (75) Inventor/Applicant (for US only): SILVANDERSSON, Åke [SE/SE]; Pramvägen 13, S-310 20 Knäred (SE).
- (74) Agent: CEGUMARK AB; P.O. Box 53047, S-400 14 Göteborg

(54) Title: DEVICE IN CONNECTION WITH A TRAP FOR INSECTS

(57) Abstract

The invention relates to an insect trap (1) formed from a trapping component (2, 3) in the form of a sheet or strip, which has a surface (4) coated with an adhesive (5) intended to hold insects fast on the trapping component. The aforementioned surface (4) is provided with lines or similar markings (6) against a light background. The trapping component (2, 3) is provided, at least along a certain part of it, with a fluorescent or phosphorescent substance, in the form of gravure printing ink, so arranged as to increase the visibility under reduced light conditions, i.e. in the early morning and evening.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GR	Georgia MX		Mexico
AU	Australia	. GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	1E	Ireland	NZ	New Zealand
. BG	Bulgaria	IT	Italy	PL.	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil .	KB	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sodan
CIF	Central African Republic		of Korea	SB	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
a	Côte d'Ivoire	u	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
cs	Czechoslovakia	LT	Lithuania	TD	Chad
cz	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EB	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
PI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

Device in connection with a trap for insects

The present invention relates to an arrangement for an insect trap formed from a trapping

5 component in the form of a sheet, strip or line so arranged, in its extended state, as to be set up in areas where insects are present, and which has a surface coated with an adhesive intended to hold insects fast on the trapping component.

No effective means are available at the

10 present time to increase the visibility and thus the
effective trapping period of insect traps of the indicated
kind, which are intended in the first instance to be hung,
glued or otherwise set up in cow-sheds, stables and similar
areas, or in dwellings and other premises in which flies and
15 other insects can cause problems and discomfort to cattle,
humans and domestic animals, and can cause health problems in
relation to food stored, for example, in retail premises.

Previously disclosed through US,A, 4,411,093 is a means of trapping insects with the help of a tube hung up at the trapping point. The aforementioned tube is in the form of a number of wound layers of paper, one of which is coated with a fluorescent substance. A layer with flies printed on it wound over the fluorescent layer is in turn coated with a layer of protective lacquer. The effective trapping period is certainly increased with this trapping arrangement, although the effective trapping surface area is limited and is likely to become covered with insects quickly, whereupon it will cease to function.

DE,C, 346 372 relates to a trapping

30 arrangement in the form of a cylindrical strip of cardboard with alternating rows of strong colour and an adhesive trapping substance. The strip of cardboard is intended to be drawn out into the form of a pyramid or cone, thereby forming a spiral of adhesive and bright colour. Apart from the fact

35 that this trapping arrangement lacks markings of a so-called

luminescent substance, it does not lend itself to being set up in an extended state, but must be set up in a similar fashion to conventional spirally extending insect trapping strips, which exhibit the characteristic of attaching themselves to persons present in the vicinity of the trapping arrangement.

DE,C, 374 805 shows a variant of the trapping arrangement in accordance with DE,C, 346 372, but with insect adhesive and colour markings arranged at an angle in relation to the edges of the strip. This trapping arrangement, too, does not exhibit any luminescent markings and is also not intended to be hung in a freely extended state, but rather in the form of a cone.

The principal object of the present invention 15 is thus, in the first instance, to make available an insect trap of the kind indicated above which exhibits better visibility for the insects.

The inventor of the present insect trap is the market leader in the field and has attempted for more than 10 years to develop an insect trap which is more effective for a major part of the 24-hour day, i.e. also when the level of available light is low at dawn and in the evening. Following research and experiments, the aforementioned problem has now been solved successfully by simple and effectively functioning means.

The aforementioned object is achieved by means of an insect trap in accordance with the present invention, which is characterized essentially in that the trapping component is provided, at least along a certain part of it, with a fluorescent or phosphorescent substance so arranged as to increase the visibility under reduced light conditions, i.e. in the early morning and evening, in that the trapping component is provided with fluorescent or phosphorescent markings along its surface produced with gravure printing ink, in conjunction with which the aforementioned markings

WO 97/01272 PCT/SE96/00783

are in the form of a number of lines or similar patterns of insects as a border of recognizable markings of a different form against a light background.

The invention is described below with 5 reference to the accompanying drawings as a number of preferred illustrative embodiments, in which

10

15

30

Fig. 1 shows a plan view of an insect trap in accordance with the invention;

Fig. 1A shows a part of the aforementioned insect trap;

Fig. 2 shows a perspective view of the stripformed type of insect trap hung up horizontally;

Fig. 3 shows a trap in the form of a trapping strip capable of being extended vertically from a roll; and

Fig. 4 shows a trap in the form of a sheet folded to form a sleeve.

An insect trap 1 in accordance with the present invention, which is in the form of a sheet 2, strip 3, line or other form of trapping component made of plastic 20 or some other suitable material, and which has a surface 4 covered with an appropriate adhesive 5 intended to hold flies or other insects fast to the aforementioned trapping component, exhibits means for increasing the effective function of the insect trap. The aforementioned trapping 25 component 2, 3 is provided, at least along a certain part of it, more specifically with a fluorescent or phosphorescent substance so arranged as to increase the visibility of the trapping component under reduced light conditions when compared with previously disclosed insect traps.

The trapping component 2, 3 exhibits fluorescent or phosphorescent gravure printing ink as the aforementioned means, appropriate colours for which are red, yellow or orange.

Preferably one surface 4 of the trapping 35 component 2, 3 is provided with a number of preferably

straight parallel lines or other similar markings 6 against a light background, which markings 6 are formed by gravure printing with the aforementioned fluorescent or phosphorescent gravure printing inks. Markings of a different form, for example dots, rings, squares or patterns, can be applied to the trapping component 2, 3. This so-called fluorescent function (luminescence) of the markings 6 is so arranged as to increase their visibility to a considerable degree under reduced light conditions; i.e. in the early morning and evening.

The aforementioned markings 6 are, for example, red, yellow or orange, and are produced by gravure printing in a previously disclosed fashion with the aforementioned inks on the aforementioned trapping surface.

The aforementioned printing takes place before the adhesive 5 in question of an environmentally friendly kind is applied to the trapping surface 4.

When the insect trap 1 formed in this way is hung up, for example from a nail 7 in the ceiling 8 or on a 20 wall 9, or around a pipe 10, or is set up in its extended state in some other appropriate fashion, any light reaching the trap 1 will make it possible for the insects to see the trap for a longer part of the 24-hour day. This is achieved thanks to the fluorescent or phosphorescent function of the 25 trap 1.

Experiments have revealed that a trap 1 printed with fluorescent gravure printing ink in accordance with the invention so as to form lines 6, etc., upon which or adjacent to which insects attempt to land, was able to continue its insect-trapping function for no fewer than 3-4 hours longer in a 24-hour day.

A number of printed images 11 of insects can be present on the trap 1 in a previously disclosed fashion, the function of which is to attract live insects.

WO 97/01272 PCT/SE96/00783

5

The invention is not restricted to the illustrative embodiments described above and illustrated in the drawings, but may be varied within the scope of the Patent Claims without departing from the idea of invention.


The entire insect trap may thus be made luminescent, and its form may be varied from a length of string to a large sheet according to needs and wishes.

Patent Claims


- 5 1. An insect trap (1) formed from a trapping component (2, 3) in the form of a sheet, strip or line so arranged, in its extended state, as to be set up in areas where insects are present, and which has a surface (4) coated with an adhesive (5) intended to hold insects fast on the 10 trapping component (2, 3), characterized in that the trapping component is provided, at least along a certain part of it, with a fluorescent or phosphorescent substance so arranged as to increase the visibility under reduced light conditions, i.e. in the early morning and evening, in that the trapping 15 component is provided with fluorescent or phosphorescent markings (6) along its surface (4) produced with gravure printing ink, in conjunction with which the aforementioned markings are in the form of a number of lines or similar patterns of insects as a border of recognizable markings (6) 20 of a different form against a light background.
 - 2. An insect trap (1) as claimed in Patent Claim 1, characterized in that the gravure printing ink is red, yellow or orange.

WO 97/01272 PCT/SE96/00783

1/2



2/2



INTERNATIONAL SEARCH REPORT

International application No. PCT/SE 96/00783

PCT/SE 96/00783 CLASSIFICATION OF SUBJECT MATTER IPC6: A01M 1/04, A01M 1/14 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC6: A01M Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched SE,DK,FI,NO classes as above Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Category* Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. X US 4411093 A (ASTOUT ET AL), 25 October 1983 1-2 (25.10.83), figure 1, claims 1-3, abstract X FR 2129272 A (FISCHER HENRI), 27 October 1972 1-2 (27.10.72), claims 1-4 X FR 933492 A (M. MAURICE FERNEZ), 22 April 1948 1-2 (22.04.48), page 2, line 7 - line 31, figures 1-3, abstract X FR 907738 A (SOCIETE DES LABORATORIES VITAL O. 1-2 GASSMANN), 20 March 1946 (20.03.46), page 2, line 19 - line 25, figures 1-3, claim 1 Further documents are listed in the continuation of Box C. χ See patent family annex. Special categories of cited documents: later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "A" document defining the general state of the art which is not considered to be of particular relevance "E" erlier document but published on or after the international filing date "X" document of particular relevance: the claimed invention cannot be considered govel or cannot be considered to involve an inventive "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other step when the document is taken alone special reason (as specified) document of particular relevance: the claimed invention cannot be document referring to an oral disclosure, use, exhibition or other considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the ar document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 0 2 -10- 1996 30 Sept 1996 Name and mailing address of the ISA/ Authorized officer Swedish Patent Office Box 5055, S-102 42 STOCKHOLM THOMAS AVASALU

Telephone No.

+46 8 782 25 00

Facsimile No. +46 8 666 02 86

INTERNATIONAL SEARCH REPORT

International application No.
PCT/SE 96/00783

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
	On the relevant passages	Keevant to dami No
K	FR 856313 A (M. JACQUES, LOUIS), 11 June 1940 (11.06.40), page 1, line 40 - line 51, figures 1-15, abstract	1-2
(CH 234057 A (HERBERT HAARBURGER), 1 December 1944 (01.12.44), page 1, line 1 - line 14, claim 1	1-2
(DE 374805 C (FRIEDRICH HARBACH), 1 May 1923 (01.05.23), page 1, line 1 - line 58, figures 1,2, claim 1	1-2
(CH 246596 A (FRITZ MOSIMANN), 1 October 1947 (01.10.47), page 1, line 1 - line 23, claim 1	1-2
	 ,	
	•	
	•	
		·
Ì	•	
	•	

INTERNATIONAL SEARCH REPORT

Information on patent family members

05/09/96

International application No. PCT/SE 96/00783

	document earch report	Publication date	Patent family member(s)		Publication date
US-A-	4411093	25/10/83	NONE		
FR-A-	2129272	27/10/72	NONE		
FR-A-	933492	22/04/48	NONE		
FR-A-	907738	20/03/46	NONE		
FR-A-	856313	11/06/40	NONE		
CH-A-	234057	01/12/44	NONE		
DE-C-	374805	01/05/23	NONE		
CH-A-	246596	01/10/47	NONE		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.